

SAFETY DATA SHEET

1. Product Identification

Product name	Cold Cure Resin
SDS Number	F1000A
Product type	Epoxy polymer mixture.
Recommended use of the chemical and restrictions on use	Directed at, but not limited to, the molding and coating of wood, composite materials, and other inorganic substrates.
Restrictions	None known.
Manufacturer/Supplier information	
Company name	SYSTEM THREE RESINS, INC.
Address	3500 W. Valley Hwy, Suite Suite 105 Auburn, WA 98001-2436 United States
Telephone	1-253-333-8118
Website	www.systemthree.com
Email	support@systemthree.com
Emergency Contact	CHEMTREC (U.S. and CANADA) 1-800-424-9300 CHEMTREC (Outside the U.S.) 1-703-527-0585

2. Hazard(s) Identification

Classification of substance or mixture/Signal Word	WARNING. Skin Corrosion/Irritation - Category 2 Serious Eye Damage/Eye Irritation - Category 2 Skin Sensitizer – Category 1 Reproductive Toxicity – Category 2 Specific Target Organ Toxicity (Single Exposure) [Respiratory tract irritation] – Category 3 Acute Aquatic Toxicity – Category 2 Chronic Aquatic Toxicity – Category 2
<u>GHS Label Elements</u> Hazard Pictograms	
Hazard Statements/Classification of substance or mixture	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H355 May cause respiratory irritation. H361 Suspected of damaging fertility or the unborn child. H401 Toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects

Precautionary Statements Prevention	 P280 Wear protective gloves. Wear eye or face protection. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood.
Response	P261 Avoid breathing vapors. P308 + P313 If exposed or concerned: Get medical attention.
Storage	P401 Store above 32 °F / 0 °C
Disposal	P501 Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified (HNOC)	None Available.

3. Composition/Information On Ingredients

Chemical Name	CAS Number	Content (%)	
Diglycidyl Ether of Bisphenol A	25068-38-6	80 – 90 %	
Benzyl Alcohol	100-51-6	6-10 %	
Para-tert-Butylphenol	98-54-4	6-10%	
Diglycidyl Ether of Bisphenol F	28064-14-4	6-10%	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

4. First-Aid Measures

Skin contact	Remove contaminated clothing and shoes and wipe excess off skin. Flush skin with water. Follow by washing in soap and water. If irritation occurs, seek medical attention. Do not reuse clothing until cleaned. Contaminated leather articles (shoes) cannot be decontaminated and should be destroyed.	
Eye contact	Flush with water for 15 minutes holding eye lids open. Seek medical attention.	
Ingestion	Do not give liquids if victim is unconscious of very drowsy. Otherwise, give no more than 2 glasses of water and induce vomiting by giving 2 tablespoons syrup of ipecac (1 tablespoon and 1 glass of water for child). If ipecac is unavailable, give 2 glasses of water and induce vomiting by touching finger to back of throat. Keep head below hips while vomiting. Get medical attention.	
Inhalation	Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	Burns. Irritation. Pre-existing skin conditions may be aggravated by prolonged or repeated contact. Persons with sensitive airways (e.g., asthmatics) may be sensitive to vapors.	
Specific treatments	Treat symptoms as they appear.	

5. Fire-Fighting Measures

Suitable extinguishing media	Foam, carbon dioxide, dry chemical, water fog.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	Potential skin irritation.
Hazardous decomposition products	None known.

Special protective actions for fire-fighters	When fighting chemical fires, wear full protective equipment with self- contained breathing apparatus. Water spray may be used to cool fire-exposed containers. Toxic fumes may be evolved when this substance is burned.
Special protective equipment for fire- fighters	Full fire suit and self-contained breathing apparatus.
Further information	Water spray may be used to cool fire-exposed containers. Toxic fumes may be evolved when this substance is burned.
	Epoxy in mass can create exotherm.

6. Accidental Release Measures

Personal precautions Emergency procedures	Wear proper personal protective equipment (PPE). Avoid direct contact with material. Proper PPE includes: disposable gloves, eye protection and skin protection. If material is spilled, avoid contact with material. Persons not wearing appropriate protective equipment should leave the area of the spill until cleanup is complete.
Methods and materials for containment/cleanup	Stop spill at source, dike area to prevent spreading, pump liquid to salvage tank or drum. Remaining liquid may be taken up on clay, diatomaceous earth, sawdust or other absorbent, and shoveled into disposal container.
Environmental precautions	Skin sensitizer, harmful to aquatic life.

7. Handling and Storage

Precautions for safe handling	Always wear protective, disposable gloves when handling epoxy products to prevent exposure.
Precautions/Recommendations for safe/proper storage	Store epoxy products in temperature stable environment, out of the reach of pets or children. Securely fasten container lids and tops, and prevent products from sitting and below freezing temperatures.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits	None established.
Appropriate engineering controls	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	Use appropriate containment to avoid environmental contamination. Do not allow spill to enter sewers or waterways.
Individual protection measures/Personal protective equipment	
Eye/face protection	Splash proof goggles or safety glasses with side shields are recommended. Always wear eye protection when sanding cured epoxy to avoid dust in eyes.
Hand protection	Always wear impervious gloves, neoprene, vinyl or rubber.
Skin protection	Wear clean, body-covering clothing to avoid skin contact.
Respiratory protection	Use a NIOSH-approved respiratory device when sanding cured epoxy to prevent dust in lungs.

Wear gloves at all times when handling product, avoid direct contact with skin. When finished using product, dispose of gloves properly and wash hands with warm, soapy water.

9. Physical and Chemical Properties

Chemical family	Epoxy Resin
Appearance	Clear viscous liquid
Physical State	Epoxy polymer mixture
Form	Liquid
Color	Water clear
Odor	Phenolic odor
Density (Specific Gravity)	9.5 lb/gal (1.14)
Viscosity	2000-2200 cps @ 25°C
рН	N/A
Melting point/freezing point	Data not available
Initial boiling point and boiling range	Data not available
Flash point	>300°F, Pensky-Martens Closed Cup
Evaporation rate	Slower than ether
Flammability (solid, gas)	Data not available
Upper/lower flammability limit (by volume)	
Upper flammability limit (by volume)	N/A
Lower flammability limit (by volume)	N/A
Material VOC	None
Vapor density	Heavier than air
Relative density	Not determined
Solubility in water	Negligible, in water
Partition coefficient: n-octanol/water	Data not available
Auto-ignition temperature	300°C (572.00°F)
Decomposition temperature	Not available

10.Stability and Reactivity

Reactivity Chemical Stability Possibility of hazardous reactions	None Stable Hazardous polymerization will not occur.
Conditions to avoid	Epoxy resins and epoxy resin hardeners can react with each other producing heat. They should not be mixed with each other under uncontrolled conditions or in large mass as the ensuing exotherm may result in heat and smoke, resulting in hazardous decomposition products.
Incompatible materials	Strong oxidizing agents, Lewis and mineral acids.
Hazardous decomposition products	Oxides of carbon, aldehydes, acids.

11. Toxicological Information

Acute Health Hazard (components)

No comprehensive data (ingestion, inhalation, dermal) on mixture (product).

Component	Result	Species	Dose	Exposure
Diglycidyl Ether of	LD50 Oral	Rat	11,400 mg/kg	-
Bisphenol A	LD50 Dermal	Rat	2,000 mg/kg	-
Benzyl Alcohol	LD50 Oral	Rat	1620 mg/kg	-
	LC50 Inhalation	Rat	>4178 mg/m3	4 hrs, aerosol
Para-tert-Butylphenol	LD50 Oral	Rat	>2000 mg/kg	-
	LC50 Inhalation	Rat	5.6 mg/l	-

Irritation/Corrosion (components) No information on product itself.

Component	Result	Species	Test	Exposure
Diglycidyl Ether of Bisphenol A	Skin – Erythema/Eschar 404 Acute Dermal Irritation/Corrosion	Rabbit	1.5 – 2	-
	Skin – Edema 404 Acute Dermal Irritation/Corrosion	Rabbit	1.0 -1.5	-
	Eyes – 405 Acute Eye Irritation/Corrosion	Rabbit	0	-
	Eyes – Redness of the conjunctivae	Rabbit	0.7	-
	Skin – Moderate irritant	Rabbit		24 hrs
	Eyes – Mild irritant	Rabbit		-
Benzyl Alcohol	Eyes – 405 OECD Irritant	Rabbit		-
Para-tert-Butylphenol	Skin – Moderate irritant	Rabbit		4 hrs
	Eyes – Severe eye irritant	Rabbit		24 hrs

Sensitization	No information on product itself.
Mutagenicity	No information on product itself.
Carcinogenicity	No information on product itself.
Reproductive Toxicity	No information on product itself.
Teratogenicity	No information on product itself.
Specific target organ toxicity (single	No information on product itself.

<u>exposure)</u>

Component	Category	Route of exposure	Target organs
Diglycidyl Ether of Bisphenol A	Category 3		Respiratory tract irritation
Diglycidyl Ether of Bisphenol F	Category 3		Respiratory tract irritation
Specific target organ toxicity (repea <u>xposure)</u> Aspiration hazard		on on product itself. on on product itself.	
Potential acute health effects			
Eye Contact	Causes serious eye irritation.		
Inhalation	May cause respiratory irritation.		

Skin Contact	Causes skin irritation. May cause an allergic skin reaction.
Ingestion	Irritating to mouth, throat and stomach.
Symptoms related to the physical, chemical and toxicological characteristics	
Eye Contact	Adverse symptoms may include the following: Pain Watering Redness
Inhalation	Adverse symptoms may include the following: Respiratory tract irritation Coughing
Skin Contact	Adverse symptoms may include the following: Irritation Redness
Ingestion	No specific data.
Delayed and immediate effects and also chronic effects from short and long term <u>exposure</u> Potential chronic health effects	
General	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
Numerical measures of toxicity	

Acute toxicity estimates (ATEmix)

Route	ATE value
Oral	8074.3 mg/kg
Dermal	2020.2 mg/kg
Inhalation (vapors)	4178 mg/l

12. Ecological Information

Ecotoxicity

Component	Result	Species	Exposure
Diglycidyl Ether of Bisphenol A	Acute LC50 1.3 mg/l – 203 Fish, Acute Toxicity Test	Fish – Fish	96 h
	Acute EC50 2.1 mg/I – 202 Daphnia sp. Acute Immobilization Test and Reproduction Test	Aquatic invertebrates. Water flea	48 h
	Acute NOEC 0.3 mg/l – 211 Daphnia Magna Reproduction Test	Aquatic invertebrates. Water flea	21 d
	Acute LC50 > 11 mg/l	Aquatic plants – Algae	72 h
Benzyl Alcohol	Acute LC50 460 mg/l	Fish	96 h

	Acute EC50 230 mg/l	Invertebrates	48 h
	Chronic NOEC 310 mg/l	Algae	72 h
Para-tert-Butylphenol	Acute LC50 – 5.14 mg/l	Fish	96 h
	Acute EC50 – 4.8 mg/l	Daphnia	48 h

Persistence and degradability

No information on product itself.

Bioaccumulative Potential

No information on product itself.

Component	LogPow	BCF	Potential
Diglycidyl Ether of Bisphenol A	2.64 - 3.78	3 - 31 31.00	Low
Diglycidyl Ether of Bisphenol F	3	-	low
Benzyl Alcohol	1.05	1.37 (calculated)	-

Mobility in Soil

Soil/water partition coefficient (KOC)	No information on product itself.
Other adverse effects	No known significant effects or critical hazards.

13. Disposal Considerations

Waste from residues/ unused products	Product should not be allowed to enter drains, water courses or the soil; dispose of this material and its containers in a safe way. Contact supplier if guidance is required.
Contaminated packaging	Dispose of container and unused contents in accordance with federal, state and local requirements.

14.Transport Information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International Transport Regulations

Regulatory information	UN/NA number	Proper Shipping Name	Classes/*PG	Additional Information	
DOT		Not regulated			
TDG		Not regulated			
IMO/IMDG	UN3082	Environmentally Hazardous Substance, liquid, n.o.s. (Bisphenol-A Epichlorohydrin Resin)	Class 9 III	Marine pollutant	
ΙΑΤΑ	UN3082	Environmentally Hazardous Substance, liquid, n.o.s. (Bisphenol-A Epichlorohydrin Resin)	Class 9 III	Marine pollutant	
*PG: Packing grou	ıp				
Special precautions for user:		Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.			

15. Regulatory Information

UNITED STATES

U.S. Federal Regulations

United States – TSCA 5(a)2 – Final significant new use rules: Not Listed. United States – TSCA 5(a)2 – Proposed significant new use rules: Not Listed. United States – TSCA 5(e) – Substance consent order: Not listed.

California Prop. 65WARNING: This product contains less than 0.1% of a chemical known to the
State of California to cause cancer. WARNING: This product contains less than
1% of a chemical known to the State of California to cause birth defects or
other reproductive harm.

Ingredient Name	Cancer		Reproductive	No significant risk level	Maximum acceptable dosage level		
Oxirane, 2-(phenoxymethyl)-	Yes		No	5 μg/day	No		
Oxirane, 2-(chloromethyl)-	Yes		Yes	9 μg/day	No		
EPA SARA 302 Extremely Hazardous Substances EPA SARA 302/304/311/312 Hazardous Chemicals United States inventory (TSCA 8b)			None required. Acute Health Hazard. All components are listed or exempted.				
CANADA							
WHMIS (Canada)		Class D-2B: Material causing other toxic effects (Toxic).					
Canadian NPRI CEPA Toxic substances		None required. None required.					
INTERNATIONAL REGULATIONS							
International Lists		 Australia inventory (AICS): All components are listed or exempted. Canada inventory: All components are listed or exempted. Korea inventory: All components are listed or exempted. Japan inventory: All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. New Zealand inventory (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted. 					

16. Other Information, Including Date of Preparation or Last Revision

HMIS RatingHealth 2
Flammability 1
Physical Hazard 0Date of PreparationJanuary 25, 2019Date of Last RevisionNovember 23, 2016Revision #3.0More Information1-253-333-8118Prepared bySystem Three Resins Inc.

The information contained herein is based on the data available to us and is believed to be correct. However, System Three Resins, Inc. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. System Three assumes no responsibility for injury from the use of the product described herein.